

## JEFFREY COURT

## DCOF STANDARDS

 $R\ A\ T\ I\ N\ G$ 

**SERIES:** Specialty - Pool by Jeffrey Court

**ITEM:** Paver 24" x 24" (990132)

**COLOR:** Ashes

FINISH: Matte

**RATING:** ≥ 0.55

## ANSI PRODUCT USE CLASSIFICATION CHART

CLASSIFICATION	REFERENCE TO CATEGORY	CRITERIA
Interior, Dry	ID	≥ 0.42 dry DCOF
Interior, Wet	IW	≥ 0.42 wet DCOF or Manufacturer-Declared
Interior, Wet Plus	IW+	Manufacturer-Declared with ≥ 0.50 wet DCOF generally accepted in absence of Manufacturer Declared
Exterior, Wet	EW	Manufacturer-Declared with ≥ 0.55 wet DCOF generally accepted in absence of Manufacturer Declared
Oils/Greases	O/G	Manufacturer-Declared with ≥ 0.55 wet DCOF generally accepted in absence of Manufacturer Declared

Jeffrey Court does not warrant that any of its products will meet any testing parameter other than that measured at time of testing. Testing was completed by a certified lab and is representative only of product available for testing at the time. Jeffery Court recommends that customers have tile independently tested to determine if the product meets or exceeds the requirements of the specifier or customer.

For additional details or questions please contact us at info@jeffreycourt.com.